



निजगढ नगरपालिका
नगर कार्यपालिकाको कार्यालय
निजगढ बारा

मिति: २०७६/११/१२

विषय: सच्याइएको सम्बन्धमा ।

प्रस्तुत विषयमा यस निजगढ नगरपालिकाबाट मिति २०७६/११/२ गते प्रकाशित बोलपत्र नं. ०६/०७६/०७७ अति आवश्यक सेनिरेटरी प्याड खरिद सम्बन्धि बोलपत्र सुचनामा तपसिल बामोजिम सच्याइएको छ ।

१. बुँदा न. १ मा औषधि व्यवसाय दर्ता प्रमाण पत्रको स्थानमा सम्बन्धित व्यवसाय प्रमाणपत्रको प्रतिलिपी संलग्न गर्नुपर्ने छ ।
२. बुँदा न. ८ मा खरिद गरिने सामाग्रीहरु सिलबन्दी बोलपत्र साथ रहेको स्पेसिफिकेशनमा उल्लेखित मापदण्ड अनुसारको हुनु पर्ने छ । यदि स्पेसिफिकेशनमा उल्लेख गरे अनुसार नभएमा उक्त सामाग्रीहरु स्वीकार गरिनेछैन ।

प्रमुख प्रशासकिय अधिकृत

विशकसेन ढकाल

विशकसेन ढकाल
प्रमुख प्रशासकीय अधिकृत

STANDARD SPECIFICATIONS OF SANITARY PAD

1.Type and condition requirement :-

Regular with wings, napkin with uniform thickness throughout without any wrinkles and distortion. The sanitary napkins shall have a soft feel, hygienic and comfortable. They shall be free from all sorts of foreign matter.

2.Permitted Raw Material :-

a. **Absorbent Filter** :- Plant based raw materials such as wood pulp, cellulose pulp, bamboo fiber, banana fiber and corn which have natural sterilization effects, tissue paper, pure cotton, shall be free from lumps, oil spots, dirt or foreign material.

b. **Covering** :- The covering of the absorbent filter shall be of a good quality or rayon knitted sleeving, gauze or non-woven fabric with sufficient porosity to permit the assembled pad to meet absorbency requirements.

3.Size :- Size including minimum (240 ± 20mm length and 60-75 mm width, thickness 15mm ± 2 mm).

4.Absorbency :- the sanitary pad shall absorb at least 30 ml of colored distilled water and it shall not show leakage at the bottom or sides of the sanitary napkin.

5. Disposability :- disposable pad with the covering removed, shall be immersed in 15 litres of water and stirred. The pad shall disintegrate in the water in not more than 5 minutes.

6.Colour :-The product shall be white in colour and shall be almost odourless.

7.PH value :- Free from acid and alkali, PH of absorbent material shall be 6-8.5 (tested as per the method given in Indian Standard 1990)

8. Hygiene testing requirement :- Total viable count (total number of bacteria and fungi) shall be not more than 1000 cfu/gm and absence of Staphylococcus aureus. The napkin shall be tested for the presence of staphylococcus aureus in accordance with IS 5887(Part 2).

9. The manufacturer shall declare that all ingredients used in the product are safe for human use based on its known toxicological characteristics at intended use.

10.Packaging type :- at least 90% Compostable pack, protecting package to product.

11. Packaging size :- minimum 8 pads per pack.


12. Biodegradability or Composability requirements :- At least 90% degrade within 6 months (testing is performed and confirmed from recognized and approved Medical laboratory).

13.Manufactured Country :- any country that meets above specifications.

14.Expiry Date :- Not Less than 2 years.

15.Physical condition :- Free from moist, leakage and any changes in package.

16.Packaging Wrapper :- capable to prevent from moist, dirt and harmful bacteria.


Ramesh Lama
PHO, Health Unit
Nijgadh Nagarpalika